(

PATENT COOPERATION TR



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference A3232.WO202				FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)				
International application No. PCT/IB 03/04397				International filing date 06.10.2003	(day/mon	th/year)	Priority date (day/month/year 08.10.2002	r)
	B3/04		nt Classification (IPC) or	both national classification a	and IPC		-	
Applio AZIC		RIA C	OSTRUZIONI MAC	CHINE AUTOMATICH	IE A.C.	M.A		
1.	This Auth	interr ority a	national preliminary ex and is transmitted to th	amination report has bee ne applicant according to	en prepa Article 3	red by this Inte 36.	ernational Preliminary Exam	iining
2.	This REPORT consists of a total of 4 sheets, including this cover sheet.							
	This report is also accompanied by ANNEXES, i.e. sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of 2 sheets.							
3.	This	repoi	t contains indications	relating to the following it	tems:			
	1		Basis of the opinion					
			Priority			mirantina atan	and industrial applicability	
	111			_	iovelly, i	inventive step	and industrial applicability	
	IV Lack of unity of invention V Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					oplicability;		
	VI		Certain documents of	•				
	VII		Certain defects in th	e international application	า			
	VIII		Certain observations	on the international app	lication			
Date	of sub	missio	on of the demand		Date o	f completion of t	his report	
29.04.2004			18.11.2004					
Name and mailing address of the international preliminary examining authority:					Author	ized Officer		disches Patagoay
European Patent Office - P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk - Pays Bas Tel. +31 70 340 - 2040 Tx: 31 651 epo nl Fax: +31 70 340 - 3016				Bas	-	nte, M one No. +31 70	340-2902	

the control of the co

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/IB 03/04397

I. Basis	of the	report
----------	--------	--------

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Des	Description, Pages								
	1-12		as originally filed							
	Clai	ms, Numbers								
		ilis, Nullibers	received on 24.09.2004 with letter of 23.09.2004							
1-6			received on 24.09.2004 with letter of 23.09.2004							
	Dra	rawings, Sheets								
	1/5-	5/5	as originally filed							
With regard to the language, all the elements marked above were available or furnished to this Authorized in which the international application was filed, unless otherwise indicated under this item.										
	The	nese elements were available or furnished to this Authority in the following language: , which is:								
		the language of a tra	e language of a translation furnished for the purposes of the international search (under Rule 23.1(b)).							
		the language of publication of the international application (under Rule 48.3(b)).								
		the language of a tra Rule 55.2 and/or 55.3	nslation furnished for the purposes of international preliminary examination (under 3).							
3.	With inte	n regard to any nucle rnational preliminary e	otide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:							
		contained in the inter	national application in written form.							
	filed together with the international application in computer readable form.									
		furnished subsequen	furnished subsequently to this Authority in written form.							
		furnished subsequently to this Authority in computer readable form.								
		The statement that the subsequently furnished written sequence listing does not go beyond the disclering in the international application as filed has been furnished.								
		The statement that the listing has been furni	ne information recorded in computer readable form is identical to the written sequence ished.							
4.	The	e amendments have resulted in the cancellation of:								
		the description,	pages:							
		the claims,	Nos.:							
		the drawings,	sheets:							

and the control of th

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/IB 03/04397

5. 🗆	This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)).					
	(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)					

- 6. Additional observations, if necessary:
- V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement
- 1. Statement

Novelty (N)

Yes: Claims
No: Claims

Inventive step (IS)

Yes: Claims
No: Claims

1-6

No: Claims

Industrial applicability (IA)

Yes: Claims

1-6

No: Claims

2. Citations and explanations

see separate sheet

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

Reference is made to the following documents:

D1: US-A-2 638 259 (GARRETT ROBERT W) 12 May 1953

The document D1 is regarded as being the closest prior art to the subject-matter of claim 1, and shows (the references in parentheses applying to this document):

a machine for dispensing fluid substances into containers, comprising a tank (17), feed means (29) for supplying fluid substances to the tank (17), and a plurality of filler valves (21) positioned beneath the tank (17) such as can be associated singly with the containers, the tank (17) comprising a plurality of different compartments (25a,25b,25c,25d) isolated one from another and connecting each with at least one of the filler valves (21) and being rotatable about a respective axis (16) of rotation, the feed means (29) comprising a valve assembly (16,29) by which fluid substances are directed selectively to the different compartments of the tank (17)

The subject-matter of claim 1 differs from this known machine in that the valve assembly comprises a fixed portion presenting a plurality of inlet ports admitting fluid substances received from respective sources, and a moving portion, rotatable as one with the tank about the relative axis, presenting a plurality of outlet ports from which the fluid substances are directed to the respective compartments of the tank.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

The problem to be solved by the present invention may be regarded as how to reduce the cleaning time and the complexity of the machine.

The solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT) for the following reasons:

the machine of claim 1 is easier to clean as it uses a rotary valve instead of a complex rotating drum with upper and lower chamber which functions as a big valve.

Claims 2-6 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

remonental e i energe per la compansa de la compansa del compansa de la compansa de la compansa del compansa de la compansa de

. Printed: 15-11-2004

5

10

15

20

25

(

EPO - DG 1

13

24. 09. 2004



Claims

- 1) A machine for dispensing fluid substances into containers, comprising a tank (7), feed means (49) for supplying fluid substances to the tank (7), and a plurality of filler valves (8) positioned beneath the tank (7) such as can be associated singly with the containers, the tank (7) comprising a plurality of different compartments (12, 13, 14, 15) isolated one from another and connecting each with at least one of the filler valves (8) and being rotatable about a respective axis (A) of rotation, the feed means (49) comprising a valve assembly (19) by which fluid substances are directed selectively to the different compartments of the tank (7); the machine being the valve assembly (19) characterised in that comprises a fixed portion (20) presenting a plurality (22) admitting fluid substances inlet ports received from respective sources (23, 24, 25, 26), and a moving portion (21), rotatable as one with the tank (7) about the relative axis (A), presenting a plurality of outlet ports (28) from which the fluid the respective are directed to substances compartments of the tank (7).
- 2) A machine as in claim 1, wherein the tank (7) is of substantially circular appearance and comprises a plurality of radial baffles (16) by which the selfsame tank (7) is divided into a corresponding plurality of internal compartments (12, 13, 14, 15).



5

10

15

20

14

- 3) A machine as in claim 1, wherein the inlet ports (22) are positioned on the fixed portion (20) of the valve assembly (19) at different heights relative to the axis (A) of rotation, and the outlet ports (28) are connected to the rotating portion (21) occupying positions spaced apart angularly about the selfsame axis (A).
- 4) A machine as in claims 1 to 3, comprising a container labelling station (42) at which different labels are applied to the containers according to the particular fluid substance dispensed from the tank (7) into each one of the selfsame containers.
- 5) A machine as in claim 4, wherein the labelling station (42) comprises a plurality of labelling units (43, 44, 45, 46), corresponding in number at least to the number of the compartments (12, 13, 14, 15).
- 6) A machine as in claims 1 to 3, comprising a container closing station at which different closures are applied to the containers according to the particular fluid substance dispensed from the tank (7) into each one of the selfsame containers.



(